Acta Physiol Scand 2001, **173**, 419–421

Author index

Ashenden, M.J. *see* Gore, C.J.
Asp, S. *see* Fluckey, J.D.
Aughey, R.J. *see* Gore, C.J.

Baan, G.C. *see* Huijing, P.A.
Baba, S. *see* Horiguchi, S.
Bendz, B. *see* Sevre, K.
Béquet, F., Gomez-Merino, D., Berthelot, M. & Guezennec, C.Y. Exercise-induced changes in brain glucose and serotonin revealed by microdialysis in rat hippocampus: effect of glucose supplementation, 223
Berthelot, M. *see* Béquet, F.
Bharwani, S. *see* Laroux, F.S.
Bindslev, N. *see* Larsen, R.
Blankesteijn, W.M., Creemers, E., Lutgens, E., Cleutjens, J.P.M., Daemen, M.J.A.P. & Smits, J.F.M. Dynamics of cardiac wound healing following myocardial infarction: observations in genetically altered mice, 75
Boev, K.K. *see* Petkov, G.V.
Bonen, A. *see* Evertsen, F.
Bonnet, P. *see* De Crescenzo, V.
Boscan, P. *see* Paton, J.F.R.
Bremer, J. *see* Sleboda, J.
Brown, M.D., Jeal, S., Bryant, J. & Gamble, J. Modifications of microvascular filtration capacity in human limbs by training and electrical stimulation, 359
Bryant, J. *see* Brown, M.D.
Bullard, D.C. *see* Kevil, C.G.

Cepinskas, G., Rui, T. & Kvietys, P.R. Neutrophil–endothelial cell interactions during the development of tolerance to ischaemia/reperfusion in isolated cells, 23
Cerwinka, W.H. *see* Granger, D.N.
Clark, S.A. *see* Gore, C.J.
Cleutjens, J.P.M. *see* Blankesteijn, W.M.
Constantin, S. *see* De Crescenzo, V.
Creemers, E. *see* Blankesteijn, W.M.
Cupello, A. *see* Rapallino, M.V.

Daemen, M.J.A.P. *see* Blankesteijn, W.M.
Davidson, M.J. & Koch, W.J. Genetic manipulation of β-adrenergic signalling in heart failure, 145
De Crescenzo, V., Dubuis, E., Constantin, S., Rebocho, M., Girardin, C., Bonnet, P. & Vandier, C. Halothane differentially decreases 5-hydroxytryptamine-induced contractions in normal and chronic hypoxic rat pulmonary arteries, 247
Dekhuijzen, P.N.R. *see* Machiels, H.A.
Del Rio, J. *see* Muñiz, J.
Dubuis, E. *see* De Crescenzo, V.

Eide, I. *see* Sevre, K.
Ek, J. *see* Ollerstam, A.
Ekblad, E. *see* Lindqvist, A.
Enevoldsen, L.H. *see* Fluckey, J.D.
Esposito, G. *see* Rapacciuolo, A.
Evertsen, F., Medbø, J.I. & Bonen, A. Effect of training intensity on muscle lactate transporters and lactate threshold of cross-country skiers, 195

Fantuzzi, G. Lessons from interleukin-deficient mice: the interleukin-1 system, 5
Finni, T., Ikegawa, S. & Komi, P.V. Concentric force enhancement during human movement, 369
Fluckey, J.D., Asp, S., Enevoldsen, L.H. & Galbo, H. Insulin action on rates of muscle protein synthesis following eccentric, muscle-damaging contractions, 379
Friberg, P. *see* Nilsson, A.B.M.
Friberg, S.G., Olgart Höglund, C. & Gustafsson, L.E. Nerve growth factor increases airway responses and decreases levels of exhaled nitric oxide during histamine challenge in an *in vivo* guinea-pig model, 239
Fukuchi, M. *see* Horiguchi, S.
Fusi, F. *see* Petkov, G.V.

Gagov, H.S. *see* Petkov, G.V.
Galbo, H. *see* Fluckey, J.D.
Gamble, J. *see* Brown, M.D.
Garnham, A.P. *see* Gore, C.J.
Girardin, C. *see* De Crescenzo, V.
Gomez-Merino, D. *see* Béquet, F.
Gore, C.J., Hahn, A.G., Aughey, R.J., Martin, D.T., Ashenden, M.J., Clark, S.A., Garnham, A.P., Roberts, A.D., Slater, G.J. & Mckenna, M.J. Live high:train low increases muscle buffer capacity and submaximal cycling efficiency, 275
Granger, D.N & Thorén, P. Editorial: Functional genomics – a new approach to understanding cardiovascular and renal dysfunction, 3
Granger, D.N. *see* Hickey, M.J.
Granger, D.N., Stokes, K.Y., Shigematsu, T., Cerwinka, W.H., Tailor, A. & Krieglstein, C.F. Splanchnic ischaemia–reperfusion injury: mechanistic insights provided by mutant mice, 83
Green, P.J. *see* McNaughton, N.C.L.
Grisham, M.B. *see* Laroux, F.S.
Guezennec, C.Y. *see* Béquet, F.
Gustafsson, L.E. *see* Friberg, S.G.

Hahn, A.G. *see* Gore, C.J.
Hankø, E. *see* Sevre, K.
Hansell, P. *see* Nilsson, A.B.M.
Hansen, M.B. *see* Larsen, R.
Hansen, O. The α1 isoform of Na^+,K^+-ATPase in rat soleus and extensor digitorum longus, 335
Harada, H. *see* Laroux, F.S.
Hauge, A. *see* Sevre, K.
Hellstrand, P. *see* Lindqvist, A.
Heunks, L.M.A. *see* Machiels, H.A.
Hickey, M.J., Granger, D.N. & Kubes, P. Inducible nitric oxide synthase (iNOS) and regulation of leucocyte/endothelial cell interactions: studies in iNOS-deficient mice, 119
Hines, I.N. *see* Laroux, F.S.
Hoffman, J.M. *see* Laroux, F.S.
Horiguchi, S., Watanabe, J., Kato, H., Baba, S., Shinozaki, T., Miura, M., Fukuchi, M., Kagaya, Y. & Shirato, K. Contribution of $Na^+/Ca2^+$ exchanger to the regulation of myogenic tone in isolated rat small arteries, 167
Horn, R.S. *see* Sleboda, J.
Huerta, M. *see* Muñiz, J.

© 2001 Scandinavian Physiological Society

Huijing, P.A. & Baan, G.C. Extramuscular myofascial force transmission within the rat anterior tibial compartment: proximo-distal differences in muscle force, 297
Huo, Y. & Ley, K. Adhesion molecules and atherogenesis, 35

Ikegawa, S. *see* Finni, T.
Imai, T., Okamoto, T., Yamamoto, Y., Tanaka, H., Koike, K., Shigenobu, K. & Tanaka, Y. Effects of different types of K^+ channel modulators on the spontaneous myogenic contraction of guinea-pig urinary bladder smooth muscle, 323

Jeal, S. *see* Brown, M.D.
Johnsson, C. *see* Nilsson, A.B.M.
Jones, S.P. & Lefer, D.J. Cardioprotective actions of acute HMG-CoA reductase inhibition in the setting of myocardial infarction, 139

Kagaya, Y. *see* Horiguchi, S.
Kaijser, L. *see* Nygren, A.T.
Karlsson, M. *see* Nygren, A.T.
Kåsin, J.I. *see* Sevre, K.
Kasparov, S. *see* Paton, J.F.R.
Kato, H. *see* Horiguchi, S.
Kavianipour, M. *see* Wikström, G.
Kawachi, S. *see* Laroux, F.S.
Kevil, C.G. & Bullard, D.C. *In vitro* culture and characterization of gene targeted mouse endothelium, 151
Knepper, M.A. & Masilamani, S. Targeted proteomics in the kidney using ensembles of antibodies, 11
Koch, W.J. *see* Davidson, M.J.
Koike, K. *see* Imai, T.
Komi, P.V. *see* Finni, T.
Kondo, N. *see* Nishiyasu, T.
Krieglstein, C.F. *see* Granger, D.N.
Kubes, P. *see* Hickey, M.J.
Kvietys, P.R. *see* Cepinskas, G.

Laroux, F.S., Pavlick, K.P., Hines, I.N., Kawachi, S., Harada, H., Bharwani, S., Hoffman, J.M. & Grisham, M.B. Role of nitric oxide in inflammation, 113
Larsen, R., Mertz-Nielsen, A., Hansen, M.B., Poulsen, S.S. & Bindslev, N. Novel modified Ussing chamber for the study of absorption and secretion in human endoscopic biopsies, 213
Lefer, D.J. *see* Jones, S.P.
Lefrandt, J.D. *see* Sevre, K.
Léoty, C. *see* Même, W.
Ley, K. *see* Huo, Y.
Lindqvist, A., Nilsson, B.-O., Ekblad, E. & Hellstrand, P. Platelet-derived growth factor receptors expressed in response to injury of differentiated vascular smooth muscle *in vitro*: effects on Ca^{2+} and growth signals, 175
Lutgens, E. *see* Blankesteijn, W.M.

Machiels, H.A., Van Der Heijden, H.F.M., Heunks, L.M.A. & Dekhuijzen, P.N.R. The effect of hypoxia on shortening contractions in rat diaphragm muscle, 313
Maekawa, T. *see* Nishiyasu, T.
Marin, J.L. *see* Muñiz, J.
Martin, D.T. *see* Gore, C.J.
Masilamani, S. *see* Knepper, M.A.
Mckenna, M.J. *see* Gore, C.J.
McNaughton, N.C.L., Green, P.J. & Randall, A.D. Inhibition of human α_{1E} subunit-mediated Ca^{2+} channels by the antipsychotic agent chlorpromazine, 401
Medbø, J.I. *see* Evertsen, F.
Même, W. & Léoty, C. Cyclopiazonic acid and thapsigargin reduce Ca^{2+} influx in frog skeletal muscle fibres as a result of Ca^{2+} store depletion, 391
Mertz-Nielsen, A. *see* Larsen, R.
Miura, M. *see* Horiguchi, S.
Muñiz, J., Del Rio, J., Huerta, M. & Marin, J.L. Effects of sprint and endurance training on passive stress–strain relation of fast- and slow-twitch skeletal muscle in Wistar rat, 207
Murphy, D. *see* Paton, J.F.R.

Nafz, B., Seeliger, E. & Persson, P.B. Nitric oxide and the role of blood pressure variability to the kidney, 45
Naga, S.V. *see* Rapacciuolo, A.
Nakstad, A.R. *see* Sevre, K.
Nilsson, A.B.M., Johnsson, C., Friberg, P. & Hansell, P. Renal cortical accumulation of hyaluronan in adult rats exposed neonatally to angiotensin-converting enzyme inhibition, 343
Nilsson, B.-O. *see* Lindqvist, A.
Nishiyasu, T., Sone, R., Tan, N., Maekawa, T. & Kondo, N. Effects of rhythmic muscle compression on arterial blood pressure at rest and during dynamic exercise in humans, 287
Norman, B. *see* Nygren, A.T.
Nygren, A.T., Karlsson, M., Norman, B. & Kaijser, L. Effect of glycogen loading on skeletal muscle cross-sectional area and T2 relaxation time, 385

Okamoto, T. *see* Imai, T.
Olgart Höglund, C. *see* Friberg, S.G.
Ollerstam, A., Skøtt, O., Ek, J., Persson, A.E.G. & Thorup, C. Effects of long-term inhibition of neuronal nitric oxide synthase on blood pressure and renin release, 351

Panés, J. Inflammatory bowel disease: pathogenesis and targets for therapeutic interventions , 159
Paton, J.F.R., Boscan, P., Murphy, D. & Kasparov, S. Unravelling mechanisms of action of angiotensin II on cardiorespiratory function using *in vivo* gene transfer, 127
Pavlick, K.P. *see* Laroux, F.S.
Persson, A.E.G. *see* Ollerstam, A.
Persson, P.B. *see* Nafz, B.
Petkov, G.V., Fusi, F., Saponara, S., Gagov, H.S., Sgaragli, G.P. & Boev, K.K. Characterization of voltage-gated calcium currents in freshly isolated smooth muscle cells from rat tail main artery, 257
Poulsen, S.S. *see* Larsen, R.
Prasad, H.A. *see* Rapacciuolo, A.

Randall, A.D. *see* McNaughton, N.C.L.
Rapacciuolo, A., Esposito, G., Naga, S.V., Prasad, H.A. & Rockman, H.A. G protein-coupled receptor signalling in *in vivo* cardiac overload, 51
Rapallino, M.V. & Cupello, A. GABA and chloride permeate via the same channels across single plasma membranes microdissected from rabbit Deiters' vestibular neurones , 231
Rebocho, M. *see* De Crescenzo, V.
Roberts, A.D. *see* Gore, C.J.
Rockman, H.A. *see* Rapacciuolo, A.
Ronquist, G. *see* Wikström, G.
Rostrup, M. *see* Sevre, K.
Rui, T. *see* Cepinskas, G.

© 2001 Scandinavian Physiological Society

Saponara, S. *see* Petkov, G.V.
Schnermann, J. Sodium transport deficiency and sodium balance in gene-targeted mice, 59
Seeliger, E. *see* Nafz, B.
Sevre, K., Bendz, B., Hankø, E., Nakstad, A.R., Hauge, A., Kåsin, J.I., Lefrandt, J.D., Smit, A.J., Eide, I. & Rostrup, M. Reduced autonomic activity during stepwise exposure to high altitude, 409
Sgaragli, G.P. *see* Petkov, G.V.
Shigematsu, T. *see* Granger, D.N.
Shigenobu, K. *see* Imai, T.
Shinozaki, T. *see* Horiguchi, S.
Shirato, K. *see* Horiguchi, S.
Sigmund, C.D. Genetic manipulation of the renin-angiotensin system in the kidney, 67
Skøtt, O. *see* Ollerstam, A.
Slater, G.J. *see* Gore, C.J.
Sleboda, J., Bremer, J. & Horn, R.S. Palmitate oxidation in rat hepatocytes is inhibited by foetal calf serum, 267
Smit, A.J. *see* Sevre, K.
Smith, R.C. & Walsh, K. Local gene delivery to the vessel wall, 93
Smits, J.F.M. *see* Blankesteijn, W.M.
Sone, R. *see* Nishiyasu, T.
Stokes, K.Y. *see* Granger, D.N.

Tailor, A. *see* Granger, D.N.
Takeishi, Y. & Walsh, R.A. Cardiac hypertrophy and failure: lessons learned from genetically engineered mice, 103
Tan, N. *see* Nishiyasu, T.
Tanaka, H. *see* Imai, T.
Tanaka, Y. *see* Imai, T.
Thorén, P. *see* Granger, D.N.
Thorup, C. *see* Ollerstam, A.

Van Der Heijden, H.F.M. *see* Machiels, H.A.
Vandier, C. *see* De Crescenzo, V.

Waldenström, A. *see* Wikström, G.
Walsh, K. *see* Smith, R.C.
Walsh, R.A. *see* Takeishi, Y.
Watanabe, J. *see* Horiguchi, S.
Wikström, G., Kavianipour, M., Ronquist, G. & Waldenström, A. Pre-conditioning activates adenosine utilization in a cost-effective way during myocardial ischaemia, 185

Yamamoto, Y. *see* Imai, T.

© 2001 Scandinavian Physiological Society

Acta Physiol Scand 2001, **173**, 423–425

Subject index

α isoforms, 335
adenosine, 185
adenoviral vectors, 127
adhesion, 119
adhesion molecules, 159
adrenergic signalling, 145
aldosterone, 11
altitude training, 275
angioplasty, 93
angiotensin, 67
anoxia/reoxygenation, 23
anterior tibial compartment, 297
anterior tibial muscle, 297
apoE–/– mice, 35
aquaporin 1, 59
arterial blood pressure, 45
arthritis, 5
asthma, 239
atherosclerosis, 35
AT_1 receptors, 127
autonomic nervous system, 409
autoradiography, 335

β_2-integrins, 83
baroreflex, 409
Bartter's syndrome, 59
Bay K 8644, 167
bicycle, 287
bilateral hindlimb preparation, 379
blood lactate concentration, 195
blood pressure, 287, 351
bronchoconstriction, 239

Ca^{2+} channel, 257
cadmium, 247
calcium, 175
calcium current, 391
calponin, 175
capillarity, 359
cardiac, 103
cardiac myocytes, 23
carnitine palmitoyltransferase, 267
catecholamines, 51
catheters, 93
cell culture, 151
chloride permeation, 231
cholesterol, 139
chronic obstructive pulmonary disease, 313
cinnarizine, 257
2Cl-cotransporter, 59
colitis, 159
connective tissue, 297
contractility, 103
contraction, 391
cre-loxP recombinase, 67
Crohn's disease, 159
cross-country skiers, 195
cross-sectional area, 385
cycling efficiency, 275
cyclopiazonic acid, 391
cytokines, 5

Deiters' neurones, 231
desensitization, 145
D-glucose, 213
dishevelled, 75
dissection, 297
DNA synthesis, 175
duodenum, 213

electrical stimulation, 359
electrophysiology, 401
elite athletes, 195
ENaC, 11
endothelial cells, 23
endothelial nitric oxide synthase, 127
endothelium, 151
endotoxin, 5
epithelial transport, 213
E-selectin, 119
exercise, 207, 223, 287
experimental models, 159
extensor digitorum longus muscle, 297, 335
extensor halucis longus muscle, 297
extracellular Na^+ concentration, 167

fascicle, 369
fasciotomy, 297
fast-twitch muscle, 207
fatty acid oxidation, 267
fatty acid synthesis, 267
fever, 5
fluid filtration, 359
foetal calf serum, 267
force enhancement, 369
force–length, 369
frizzled, 75
frog semitendinosus muscle, 391

G protein-coupled receptors, 51
GABA permeation, 231
GABA removal, 231
gene expression, 67
gene targeting, 67
gene therapy, 93, 145
genetics, 67, 103
glomerular filtration rate, 59, 351
glucose, 223
glycogen, 385
glycolysis, 185
guinea-pig, 323

haemodynamics, 409
heart failure, 51, 145

© 2001 Scandinavian Physiological Society

heart rate, 409
Helicobacter pylori, 213
hexose monophosphate pathway, 185
hippocampus, 223
histamine, 213
HMG-CoA reductase inhibitors, 139
human ether-a-go-go-related K^+ channels, 323
hyaluronan, 343
5-hydroxytryptamine, 213
hypercholesterolaemia, 83
hyper-reactivity, 239
hypertension, 11, 45, 67
hypertrophy, 51, 103
hypoxia, 275, 409
hypoxic response, 313

immunocytochemistry, 175
infarct rupture, 75
inflammation, 5, 119, 159
inflammatory bowel disease, 159
inosine, 185
InstantImager, 335
intercellular adhesion molecule-1, 83, 151
interleukin-1, 5
interleukin-18, 5
ischaemia, 113
isometric contraction, 313
isotonic contraction, 313

jumping, 369

K^+ channels, 323
knee extension, 369
knockout, 103
knockout mice, 59

lactate, 185
lactate threshold, 195
lactate transporters, 195
large-conductance voltage-gated Ca^{2+}-activated K^+ (BK) channel, 323
length–force characteristics, 297
leucocyte recruitment, 159
liver, 113
low density lipoprotein receptor, 83
lower leg, 359

m. soleus, 335
magnetic resonance imaging, 385
mammalian, 207
maxi channels, 231
membrane potential, 167
mesenteric small arteries, 167
mice, 103
microdialysis, 185, 223
monocarboxylate transporters, 195
monocyte adhesion, 151
muscle buffering, 275
muscle mechanoreflex, 287
muscle–tendon unit, 369
mutant mice, 23
myocardial infarction, 75
myocardial infarction, 139
myofascial force transmission, 297
myogenic tone, 167

NA channel, 59
Na/H exchanger, 59
neonatal angiotensin-converting enzyme inhibition, 343
nerve growth factor, 239
neuronal nitric oxide-synthase, 351
neurotransmitters, 409
neurotrophin, 239
NF-κB, 113
nifedipine, 167
nitric oxide, 45,113, 119, 139, 351
7-nitro indazole, 351
nucleus of the solitary tract, 127

ouabain-sensitive, 335
oxygen, 313

^{32}P-phosphorylation, 335
passive mechanical properties, 207
patch clamp, 257, 401
pathogenesis, 159
performance test, 195
pharmacology, 401
phloridzin, 213
phosphoinositide-3 kinase, 51
phospholipase C, 175
physiology, 67
Plantaris muscle, 207
plasminogen, 75
platelet-derived growth factor, 175
PMN adhesion, 23
PMN transendothelial migration, 23
potentiation, 369
pre-conditioning, 23, 185
prostaglandin E_2, 213
proximo-distal force difference, 297
P-selectin, 35, 83, 119
pseudohypoaldosteronism, 59
PSGL-1, 35
pulmonary hypertension, 247
pulsed compression, 287

quantification, 335

rat, 297, 343
rat α_1, 335
rat tail artery, 257
recombinant channel, 401
renal blood flow, 45
renal distribution, 343
renin, 45, 351
resistance exercise, 379
respiratory muscles, 313
respiratory system, 239
restenosis, 93
rolling, 119

sarcoplasmic reticulum, 391
serotonin, 223
short circuit current, 213
skeletal muscle, 207, 385
skeletal muscle small arteries, 167
slope conductance, 213
slow-twitch muscle, 207
small conductance Ca^{2+}-activated K^+ (SK) channel, 323
Soleus muscle, 207

© 2001 Scandinavian Physiological Society

spontaneous rhythmic contraction, 323
stretch-activated cation channel, 323
stretch–shortening cycle, 369
superoxide, 83

thapsigargin, 391
training, 359
training effect, 195
transgenic, 103
transgenic mice, 5, 67, 145
transverse relaxation time, 385
treadmill running, 195

urinary bladder smooth muscle, 323
urokinase-type plasminogen activator, 75

vascular cell adhesion molecule-1, 35, 119
vascular smooth muscle, 257
vasopressin, 11
velocity of muscle shortening, 313
VLA-4, 35
volatile anaesthetic, 247
voltage dependent Ca^{2+} channels, 167
voltage-gated Ca^{2+}-activated K^+ (BK) channel, 323
voltage-gated calcium channel, 401
voltage-gated K^+ (K_v) channel, 323

wound healing, 75

© 2001 Scandinavian Physiological Society